FIGURE 1A

NUCLEOTIDE SEQUENCE OF NS2/3 (810-1206) ST (SEQ ID. No. 1)

```
atggaccggg agatggctgc atcgtgcgga ggcgcggttt tcataggtct tgcactcttq
accttgtcac catactataa agtgctcctc gctaggctca tatggtggtt acagtattta
atcaccagag togaggogca cttgcaagtg tggatccccc ctctcaatgt tcggggaggc
cgcgatgcca tcatcctcct cacgtgcgca gtccacccag agctaatctt tgacatcacc
ttcgtgcgtg cgcaggggct cattcgtgcg tgtatgttgg tgcggaaggc tgcggggggt
cattatgtcc aaatggcctt catgaagcta gctgcgctga caggtacgta cgtttatgac
catctcactc cattgcagga ttgggcccac gcgggcctac gagaccttgc agtggcggta
qagcccqtca tcttctctqa catgqaqqtc aaqatcatca cctqqqqqqc qqacaccqcq
qcatgcgggg acatcatttc aggtctgccc gtctccgctc gaaggggaag ggagatactc
ctgggaccgg ccgataattt tgaagggcag gggtggcgac tccttgcgcc catcacggcc
tactcccaac agacacgggg cctacttggt tgcatcatca ccagcctcac aggccgggac
aagaaccagg tcgagggga ggttcaagtg gtctccaccg ctacacaatc tttcctggcg
acctgcgtca acggcgtgtg ttggactgtc ttccatggcg ccggctcaaa gaccttggcc
qqccccaaaq qcccaatcac ccaqatqtac actaatqtqq accaqqacct cqtcqqctqq
caggegeece etggggegeg etceatgaca ceatgeacet geggeagete ggacetetat
ttggtcacga gacatgccga cgtcattccg gtgcgccggc ggggcgacag tagggggagc
ctgctctccc ccaggcctgt ctcctacttg aagggctctt cgggtggccc actgctctgc
ccttcggggc acgttgtggg catcttccgg gctgctgtgt gcacccgggg ggttgcaaaa
gcggtggact tcatacctgt tgagtctatg gaaactacca tgcggactag tagcgcttgg
cgtcacccgc agttcggtgg t
```


FIGURE 1B

AMINO ACID SEQUENCE OF NS2/3 (810-1206)-ST (SEQ ID NO. 2)


MDREMAASCG GAVFIGLALL TLSPYYKVLL ARLIWWLQYL ITRVEAHLQV WIPPLNVRGG RDAIILLTCA
VHPELIFDIT KLLLAIFGPL MVLQAGITKV PYFVRAQGLI RACMLVRKAA GGHYVQMAFM KLAALTGTYV
YDHLTPLQDW AHAGLRDLAV AVEPVIFSDM EVKIITWGAD TAACGDIISG LPVSARRGRE ILLGPADNFE
GQGWRLLAPI TAYSQQTRGL LGCIITSLTG RDKNQVEGEV QVVSTATQSF LATCVNGVCW TVFHGAGSKT
LAGPKGPITQ MYTNVDQDLV GWQAPPGARS MTPCTCGSSD LYLVTRHADV IPVRRGDSR GSLLSPRPVS
YLKGSSGGPL LCPSGHAVGI FRAAVCTRGV AKAVDFIPVE SMETTMRTSS AWRHPOFGG

FIGURE 2

A. in vitro translated N-terminal deletion mutants



B. E. coli expression - SDS-PAGE



C. E. coli expression - Immunoblot with anti-NS3






FIGURE 3



4k 6H NS2/3(904-1206)-ST-4K

FIGURE 4






FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9A


NUCLEOTIDE SEQUENCE OF 4K-6H-NS2/3 (904-1206) ST-4K (SEQ ID NO. 3)

```
atgaaaaaga aaaagctcga gcatcaccat caccatcaca ctagtgcagg cataaccaaa
gtgccgtact tcgtgcgtgc gcaggggctc attcgtgcgt gtatgttggt gcggaaggct
gcggggggtc attatgtcca aatggccttc atgaagctag ctgcgctgac aggtacgtac
gtttatgacc atctcactcc attgcaggat tgggcccacg cgggcctacg agaccttgca
gtggcggtag agcccgtcat cttctctgac atggaggtca agatcatcac ctgggggggg
gacaccgcgg catgcgggga catcatttca ggtctgcccg tctccgctcg aaggggaagg
gagatactcc tgggaccggc cgataatttt gaagggcagg ggtggcgact ccttgcgccc
atcacggcct actcccaaca gacacggggc ctacttggtt gcatcatcac cagcctcaca
ggccgggaca agaaccaggt cgagggggag gttcaagtgg tctccaccgc tacacaatct
ttcctggcga cctgcgtcaa cggcgtgtgt tggactgtct tccatggcgc cggctcaaag
accttggccg gccccaaagg cccaatcacc cagatgtaca ctaatgtgga ccaggacctc
gtcggctggc aggcgccccc tggggcgcgc tccatgacac catgcacctg cggcagctcg
gacctctatt tggtcacgag acatgccgac gtcattccgg tgcgccggcg gggcgacagt
agggggagcc tgctctcccc caggcctgtc tcctacttga agggctcttc gggtggccca
ctgctctgcc cttcggggca cgttgtgggc atcttccggg ctgctgtgtg cacccggggg
gttgcaaaag cggtggactt catacctgtt gagtctatgg aaactaccat gcggactagt
agcgcttggc gtcacccgca gttcggtggt aaaaagaaaa agtaaggatc c
```


FIGURE 9B

AMINO ACID SEQUENCE OF 4K-6H-NS2/3 (904-1206) ST-4K (SEQ ID NO. 4)

мкккксеннн	HHHTSAGITK	VPYFVRAQGL	IRACMLVRKA	AGGHYVQMAF	MKLAALTGTY	60
VYDHLTPLQD	WAHAGLRDLA	VAVEPVIFSD	MEVKIITWGA	DTAACGDIIS	GLPVSARRGR	120
EILLGPADNF	EGQGWRLLAP	ITAYSQQTRG	LLGCIITSLT	GRDKNQVEGE	VQVVSTATQS	180
FLATCVNGVC	WTVFHGAGSK	TLAGPKGPIT	QMYTNVDQDL	VGWQAPPGAR	SMTPCTCGSS	240
DLYLVTRHAD	VIPVRRRGDS	RGSLLSPRPV	SYLKGSSGGP	LLCPSGHAVG	IFRAAVCTRG	300
VAKAVDETPV	ESMETTMRTS	SAWRHPQFGG	кккк			337



8/12



His₆-[NS3PR-NS2]-HMK_{tag}-FLAG_{tag}-Lys₄

fluorescent probe (potent NS3 protease inhibitor)


cleavage buffer

His₆-[NS3P_R-NS2]-HMK_{tag}-FLAG_{tag}-Lys₄ + His₆-[NS3PR]

* *

*

+ [NS2]-HMK_{tag}-FLAG_{tag}-Lys₄



11/12

50 mM Hepes, pH 7.5, 30% glycerol, 0.5% n-dodecyl-β-D-maltoside, 1 mM TCEP Strep_{tag}-[NS3PR-NS2]-His₆-Lys₄ 1.5 h

Strep_{tag}-[NS3PR-NS2]-His₆-Lys₄ + Strep_{tag}-[NS3PR] + [NS2]-His₆-Lys₄



Streptavidin coated plate



Eu⁺³-labeled anti-NS2 (signal decrease assay)

1 h washes

TRF detection